Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




52

COTTON QUALITY

SUPPLY - DISAPPEARANCE - CARRY-OVER

1969-70



U. S. DEPT, OF AGRICULTURE MATIONAL AGRICULTURAL LIBRARY RECEIVED

FEB 8 1972

PROCUREMENT SECTION CURRENT SERIAL RECORDS

UNITED STATES DEPARTMENT OF AGRICULTURE
Consumer and Marketing Service Cotton Division

STATISTICAL TABLES

Table	<u>e</u>	Page
1.	Carry-over of upland cotton by specified grades and staples, August 1, 1968-1970	2
2.	Grade index and average staple of upland cotton, August 1, 1961-1970	2
3.	Grade and staple of upland cotton in the carry-over, August 1, 1970	3
4.	Grade and staple of upland cotton in the carry-over, August 1, 1969	4
5.	Grade and staple of upland cotton in consuming establishments, August 1, 1970	5
6.	Grade and staple of upland cotton in public storage and "elsewhere", August 1, 1970	6
7.	Grade and staple of upland cotton in the supply, United States, 1969-70	7
8.	Carry-over, crop, supply and disappearance of upland cotton, by grade groupings, United States, 1962-1970	8
9.	Carry-over, crop, supply and disappearance of upland cotton, by staple groupings, United States, 1962-1970	9
10.	Tenderability of upland cotton in the carry-over, United States, August 1, 1961-1970	10
11.	Grade and staple of American Pima cotton in the carry-over, August 1, 1970	10
12.	Grade and staple of American Pima cotton in the carry-over, August 1, 1969	10
13.	Staple of foreign growth cotton in the carry-over, August 1, 1963-1970	11
14.	Micronaire readings of upland and American Egyptian cotton in public storage, by specified groupings, August 1, 1969-1970	12

UNITED STATES DEPARTMENT OF AGRICULTURE
CONSUMER AND MARKETING SERVICE
MARKET NEWS SECTION - COTTON DIVISION
P.O. BOX 17723 MEMPHIS, TENNESSEE 38117

COTTON QUALITY, UNITED STATES

Supply - Disappearance - Carry-over

1969-70

Introduction

This report contains information on the quality of cotton on hand in the United States on August 1, 1970, and on the quality of cotton in the crop, supply and disappearance during the 1969-70 season. To facilitate comparison, certain data for previous seasons are included.

Quality estimates for the carry-over include statistics on the grade and staple of upland and American Pima cotton and on the staple of cotton of foreign growth in the United States on August 1, 1970. Sample data were raised to the total number of bales reported by the Bureau of the Census in public storage and in consuming establishments for upland, American Pima and foreign growths.

Estimates of the quality distribution of cotton in public storage, including CCC stocks as of August 1, 1970, were based on actual re-sampling and classification of a representative proportion of these stocks. Estimates of the quality distribution of cotton stored in consuming establishments were based on grade and staple data furnished by the establishments in which the cotton was stored.

The carry-over of upland cotton in the United States on August 1, 1970 contained the largest proportion of 1-1/16" and longer staples on record. The proportion of cotton in the lengths 31/32" and shorter was the smallest on record. Middling and higher White grades accounted for about the same proportion of the carry-over as a year ago.

The proportion of 1-1/16" and longer staples in carry-over stocks increased for the third consecutive year. These longer lengths comprised 76 percent of the 1970 carry-over compared with 67 percent a year earlier and 39 percent two years ago. The staples one inch and 1-1/32", combined, accounted for 18 percent of this year's carry-over against 20 percent last year. The lengths 31/32" and shorter were equivalent to six percent of endseason stocks, the smallest percentage on record. The average staple of upland cotton in the 1970 carry-over was 34.0 thirty-seconds inches, the longest on record.

Middling and higher White grades accounted for 22 percent of the 1970 carry-over of upland cotton. This is the same as a year earlier and compares with 16 percent two years ago. The proportion of Light Spotted grades in the carry-over - 26 percent - was up slightly from a year ago. Spotted and other Colored grades comprised four percent of the total carry-over this year, the smallest proportion of these grades in end-season stocks on record. The grade index of upland cotton in the 1970 carry-over was 93.3 (Middling White = 100) against 93.2 a year earlier and 92.6 two years ago.

American Pima cotton in the 1970 carry-over averaged slightly shorter in staple and somewhat lower in grade than a year earlier. The staples 1-7/16" and longer comprised 13 percent of this year's carry-over compared with 19 percent a year earlier. Grades 3 and higher were equivalent to 33 percent of end-season stocks against 51 percent last year.

The United States carry-over of all kinds of cotton on August 1, 1970 totaled 5,736,000 bales, according to the Bureau of the Census. This is the smallest carry-over since 1953 and compares with 6,521,000 bales a year earlier and 6,448,000 bales two years ago. Stocks of upland cotton in the 1970 carry-over totaled 5,609,000 bales, stocks of American Pima were 99,000 bales and foreign growths totaled 28,000 bales.

Table 1. -- Carry-over of upland cotton by specified grades and staples,
August 1, 1968-1970

	196	8	196	59	1970	1/
Grade and staple Code	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage
	Bales	Percent	Bales	Percent	Bales	Percent
White:	mark and the land		10 112 107 92	t so relitera		
S.M. (21) & high		2.0	121,929	1.9	104,981	1.9
M.+ (30)	21,482	0.3	67,124	1.1	52,629	0.9
м. (31)	854,467	13.7	1,170,118	18.5	1,063,130	19.0
S.L.M.+ (40)	223,021	3.6	422,914	6.7	361,376	6.4
S.L.M. (41)	1,067,555	17.1	1,769,479	27.8	1,600,600	28.4
L.M.+ (50)	88,589	1.4	268,886	4.2	224,805	4.0
L.M. (51) & lowe	r 397,694	6.4	574,513	9.0	513,624	9.2
Light Spotted:						
S.M. (22) & high	er 145,883	2.3	35,580	0.6	65,662	1.2
M. (32)	1,107,130	17.8	651,883	10.3	575,657	10.3
S.L.M. (42)	777,577	12.4	612,496	9.7	658,243	11.7
L.M. (52)	212,100	3.4	154,028	2.4	156,447	2.8
Spotted 2/(13-53)	1,001,725	16.1	374,054	5.9	144,174	2.6
Other Colored 3/	220,973	3.5	123,907	1.9	87,467	1.6
All grades	6,246,295	100.0	6,346,911	100.0	5,608,795	100.0
13/16" (26) & shor	ter 8,919	0.1	281	NATIONAL PROPERTY	1,718	*
7/8" (28)	82,952	1.3	15,436	0.2	14,434	0.3
29/32" (29)	406,678	6.5	57,458	0.9	43,994	0.8
15/16" (30)	1,253,434	20.0	343,128	5.4	155,777	2.8
31/32" (31)	437,401	7.0	404,471	6.4	113,024	2.0
1" (32)	530,277	8.5	508,216	8.0	256,773	4.6
1-1/32" (33)	1,110,499	17.9	773,037	12.2	744,714	13.3
1-1/16" (34)	1,308,530	21.1	1,803,959	28.3	2,322,125	41.3
1-3/32" (35)	694,838	11.1	1,513,424	23.9	1,392,775	24.8
1-1/8" (36)	290,741	4.6	639,853	10.1	358,620	6.4
1-5/32" (37)	81,177	1.3	258,259	4.1	171,841	3.1
1-3/16" (38)	28,806	0.5	24,647	0.4	28,920	0.5
1-7/32" (39)	2,699	*	1,062	*	204	SEVIN *
1-1/4" (40) & long		0.1	3,680	0.1	3,926	0.1
All staples	6,246,295	100.0	6,346,911	100.0	5,608,795	100.0

^{1/} Preliminary.

Table 2. -- Grade index and average staple of upland cotton, August 1, 1961-1970

Veen	(M	Grade index Middling White=100		(Th	Average staple irty-second inch	es)
Year	Mill Stocks	Public Storage Stocks	Total Carry-over	Mill Stocks	Public Storage Stocks	Total Carry-over
1961	97.0	97.8	97.6	33.5	33.2	33.3
1962	96.8	96.9	96.9	33.6	33.1	33.2
1963	96.5	95.3	95.5	33.9	32.6	32.7
1964	96.8	95.1	95.3	34.0	32.2	32.3
1965	96.5	94.6	94.8	34.0	32.2	32.4
1966	96.5	92.6	92.9	34.1	32.0	32.1
1967	95.9	92.7	93.1	34.0	31.7	32.1
1968	94.5	91.9	92.6	33.5	32.1	32.5
1969	94.6	92.8	93.2	34.0	33.8	33.8
1970	94.1	93.1	93.3	34.0	34.1	34.0

^{2/} Includes all grades.

^{3/} Includes Below Grade.

Less than 0.05 percent.

Table 3. -- Grade and staple of upland cotton in the carry-over, August 1, 1970 1/

68	Percent		D 0	19.0	6.4	28.4	7-6	0.0	1.1		0.2	8.69		1.2	10.3	2.8	26.0		0.2	0.6	ا د د	2.6				000	0.3	1.0	,	* (0.1		1	* 0	-	0.3		,			0.5	100.0		93.3
All staples	Bales	572	104,409	1,063,130	361,376	1,600,600	426.959	15,576	61,117	975	8,997	3,921,145	28	65,634	575,657	156,447	1,456,009		8,890	35,117	74,914	144,174		1 00	1,069	17,281	14,059	37,080		45	4, 929			1,053	1,169	16,935		1	131	552	27,365	5,608,795 2/	Percent	Grade index
1-1/4" and longer (40)	Bales		3 5	9009	1,670	835	17	+ 1	40			3,213	1	1 6	354	261	269			1	16	16					-	-		1	1 1		,	, ,	,		ı		1 1		ı	3,926	Percent	Grade index Average sta
1-7/32"	Bales		1 1	80	4	1 0	45	2 1	1	1	1	194	1	1	1 1		1				100	100			1 3		-						1			ş			1 1			204	Percent *	
1-3/16" (38)	Bales	1	53	7,191	3,838	7,021	1 749	78	41		1	22,412		68	1,512	957	6,083			28	279 RR	425			, ,		1				, ,		,			1		,	1 1		3	28,920	Percent	mills.
1-5/32" (37)	Bales	•	4,371	31,581	31,511	39,813	7,451	88	322	1		129,263	_1	2,755	26,919	1,513	40,546			769	922	1,878		,	1 1	1	-			1				- 88	'	82		1	1 1		72	171,841	Percent	E
1-1/8" (36)	Bales	1	4,870	51,658	41,694	123,175	28,614	732	1,992	1	107	279,813	28	3,458	29,654	7,889	70,433		334	2,655	3,244	6,753			791	67	100	+67	,	,	1		1	151		955	•	1	43	43	389	358,620	Percent 6.4	tion furni
1-3/32" (35)	Bales	41	31,686	352,398	88,063	479,772	707 711	3.387	7,737	1	601	1,145,278		4,988	124,755	22,258	226,416		799	3,072	5,104	10,477		. 1	190	179	017	260	,	1 4	16		. (9.284	73	9,410	1	1	10	10	576	1,392,775	Percent	
1-1/16" (34)	Bales	113	50,177	513,256	144,648	726,133	183 044	7,085	21,023			1,750,840		25,824	211,664	63,694	536,896		2,306	7,305	12,439	26,922		1 (£ 42	457	700	1,301		1 90	100		1 3	2.709	328	3,518	•	1	53	53	2,489	2,322,125	Percent	table based
1-1/32" (33)	Bales		11,420	88,345	32,075	168,595	63,730	3.588	10,277	292	2,773	426,279	-1	19,780	106,297	34,636	280,637		2,967	5,659	13,532	29,734		1	204	1,134	7,082	OTC * 2	. 1	,	1		1 (368	673	2,019	1	1	98	209	3,326	744,714	Percent	ed in this
1" (32)	Bales	185	1,587	12,314	7,875	30,162	24 633	500	18,330	113	2,262	109,966	. 1	6,148	46,955 54,085	13,443	121,531		1,210	5,003	9,302	19,325			350	948	520	1,961	1	1 0	140			766	42	808	1		148	148	2,934	256,773	Percent	nts included in this
31/32" (31)	Bales	1	6	2,489	1,484	13,808	3 273	39	720	36	273	23,780	1	772	27,386	5,693	65,107		701	5,202	7,452	16,451		1 6	96 714	1,872	4,072	4,437	- 1	1 40	536			- 45	53	86		1	1 68	89	2,506	113,024	1	1 9
15/16" (30)	Bales		16	1,711	8,518	10,877	3,973	10	589	10	707	27,421	1	1,733	39,851	5,245	85,101		492	3,640	16,217	22,380		1 5	707	6,994	26,045	001 601	,	1 0	1,435			+ 45		45	1	1	1 1	1	4,209	155,777	Percent	onsuming es
29/32" (29)	Bales		31	1,011	1	373	220	1 m	46	1	12	1,769	1	87	7,021	789	18,355		81	1,297	4,673	7,337		1 000	220	4,335	2,636	9, 1c4		545	2.002			1 1	-	1	1	1	1 1	1	5,357	43,944	Percent	tored in coast, running
7/8" (28)	Bales	1	112	496	1	36	1 08	} '		ì	t	684	1	1	3,561	69	4,207			457	1,734	2,430		1	160	1,250	507	6,103	1	, 50	694		,		1	1	1	1	1 1	,	4,256	14,434	Percent	on bales s
13/16" and shorter (26)	Bales	233	4		1	1	. 1	1			-	233		1	1						1 90	36		i		45	103	190	1	1	1		1	1 1	-		1	ı	1 1	1	1,251	1,718	Percent	Preliminary. Quality data on bales stored in consuming establish As reported by the Burcau of the Census, running bales.
Code		(11)	(21)	(31)	(40)	(41)	(22)	(09)	(61)	(04)	(11)		_	(22)	(35)	(25)		(61)	(23)	(33)	(43)	(2)		(14)	(24)	4	(40)		(12)	(25)	(66)		(16)	(36)	(46)		(17)	(27)	(F) (A)					ary. Qu
Grade	the thos	G.M.	E W	M.	S.L.M.+	S.L.M.	H . M . H	S-G-0-+	S. G. O.	G.O.+	G.0.	Total	Light Spotted:	S.M.	M. T. M.	L.M.	Total	Spotted:	w. w.	M.	S.L.M.	Total	Tinged:	G.M.	M W W	S.L.M.	L.B.	TOTAL	Stained:	S.M.	Total	Tark Order	G.M.	M. M.	S.L.M.	Total	Gray:	S.M.	M. I. M.	Total	Below Grade	All grades		1/ Prelimina 2/ As report

Table 4. -- Grade and staple of upland cotton in the carry-over, August 1, 1969 $\underline{1}/$

e 8	Percent	*	1.9	18.5	6.7	27.8	7.3	0.3	1.3	0.1	69.2	*	0.0	9.7	23.0	1.	0.4	2.7	0.7	5.9	• 6	0.0	0.4	1.2			-			0.2	0.3	1.75	. *	* *		4.0	/ 100.0	- 15
All staples	Bales P	1,662	120,267	1,170,118	422,914	1,769,479	460,686	18,237	85,265	1,303	4,394,963	512	35,068	612,496	1,453,987	879	23,282	171,794	45,893	3/4,054	100	22,270	27,231	74,370		338	1,708		1.230	10,720	16,824	1		2,314	2016	CCB, 12	6,346,911 2/	Percent Percent 100.0
and longer (40)	Bales	1,	130	688	1,178	326	131		1	1 1	2,600	1	1 (479	531	1	56	52 419	. 1	164		26	56	52					1 1			. 1					3,680	Percent 0.1
(36)	Bales	1	58	96	1	416	262		1	1 1	800	1		262	262	,	1	1 1	1	1	1					1 . 1	1 5							1 1		1	1,062	Percent *
(38)	Bales	1	522	6,036	3,239	5,498	1,498	9	22	1 1	19,418	1	13	2,696	4,229		39	217	52	830		79	36	118		1			. ,		1 1					70	24,647	Percent 0.4
(37)	Bales	1,241	21,016	125,638	19,023	48,581	3,439	8	407	51	234,577		580	4,888	17,000	1	384	3,220	723	910,0	1 4	4 4	1 1	06			1 1									0/	258,259	Percent Percent Percent 23.9 10.1 4.1
(36)	Bales		12,212	135,445	26,999	247,167	54,339	1,095	4,313	575	551,709		1,040	36,056	69,338	20	621	6,276	1,677	14,003	1 7 1 1	314	115	260		1 1	1 1		6	2,333	3,200		721	- 721		007	639,853	Percent 10.1
(35)	Bales	0	35,077	400,357						845	1,322,629	2	3,364	80,248	162,753		401	6,690	2,599	60,81	1 K	618	473	1,168			1 1		526	4,944	6,356		282	123		1,404	1,513,424	Percent 23.9
(34)	Bales	,	35,905	302,199	137,388	610,997	169,928	6,609	30,427	2,587	1,417,996 1	721	6,708	148,689	316,133	95	1,655	14,003	11,791	49,11/	1 0 2 2	1,984	3.091	12,324		13	13		576	1,348	3,881		1 1	275		4,220	1,803,959 1	Percent 28.3
1-1/32" (33)	Bales		9,304	89,592	27,820	155,218	30,873	5,646	11,632	1,311	422,760	-	8,170	109,569	252,000	26	2,512	30,430	12,822	00,84/	1 0	3,472	9,114	21,101		1 1 6	26		31	1,667	2,049			1,394		0, /38	773,037	Percent 12.2
(32)	Bales	412	2,980	50,629	13,416	74,340	30,512	1,989	19,865	1,830	213,693		5,124	81,150	204,708	102	4,452	34,326	8,233	64,511	50	3,970	4,459	14,672		98	27			368	1,087		235	374		8,803	508,216	Percent 8.0
31/32" (31)	Bales	1	1,163	33,419	451	56,923	11,222	84	2,841	1,054	109,501	382	2,556	73,148	208,586	432	5,036	17,648	4,121	/1,002	1 190	5,155	3,072	11,376		. 8 f	24/			1 5	141		70	135		3,383	404,471	1) let
(30)	Bales	t	1,378	18,372	10,422	50,744	3,956	,	510	502	87,631		4,478	65,987	186,135	131	5,470	29,571	3,354	958,75	200	4,882	2,165	8,693		09	310			09	110			13	2	2,320	343,128	Percent 5.4
(62)	Bales	1	487	5,878	101	2,539	207	1	89	1 1	9,412			6,467	1	54	2,372	3,255	340	18,200	. [1,266	658	2,656		205	672			-	,	1				11/	57,458	Percent 0.9
7/8" (28)	Bales	-1	155	1,771		104				207	2,237	1	275	2,857	5,801		314	3,403	181	5,356	1 00	362	401	1,440		1 1	239		1 1			1	1 1	1		363	15,436	Percent 0.2
shorter (26)	Bales		,	1 1	1	1		1	1	1 1	1	-	110		110	1	ı	1 1	-	1	1	96	1 90	120			8 8		1 1	1	1	1		1		13	281	grades Fercent Fercent Fercent Fercent Fercent Fercent Fercent Fercent 6.4
Code		(11)	(21)	(31)	(40)	(41)	(51)	(09)	(61)	19		-	_	42	(52)	(13)	(23)	(43)	(23)		(14)	(34)	4 2		(20)	(25)	(32)	17.7	(10)	(36)	(40)	(11)	(A) (E)	(47)				
Gode	1	White: G.M. (11)				S.L.M. (41)		+.		G.0.+ (70)	Total	potted:	_	S.L.M. (42)	-	Spotted: (13)				Total	Tinged: G.M. (14)		S.L.M. (44)				M. (35)	Light Gray:		M. (36)	1	G.M. (17)		-	10.01	Below Grade	All grades	

Table 5. -- Grade and staple of upland cotton in consuming establishments, August 1, 1970 $\underline{1}/$

All staples	S Percent									1 0.1					4.4		3 0.9				4 0.1				0.0		2 0.2		1 1			1			7 0.6	9 0.4	1 2/ 100.0	0 الد
	Bales	418	33,000	255,904	295,861	275,77	108,627	11,66	26,489	921	1,208,102		4	4,40	60,25	21,583	136,343			1,720	2,044	17,351			1,829	.58.	3,912			72	1		10188	158	8,977	4,929	1,379,641	Percent 100.0
and longer (40)	Bales	,	2 5	91	1,617	643	12		,	1 1	2,928		1	1			1	1		1		1	1	1	1. 1		1					1				1	2,928	Percent 0.2
	Bales					1	8 1	1			1		17			1		1			' '	1		1	1 1		1	ı	1	1		210	11 1		1	ı	i	Percent
	Bales	1	10	4.324	3,077	2,627	1,315	78	D	4 1	12,244		1	1	634	1	635	1		1	1 1	1	1	ı				1	1			1	1 1	'	1	1	12,879	Percent 0.9
	Bales	,	3,788	13,854	23,032	10,947	2,251	34	18		65,636		1	1 07	? '	22	65	1	1		1 1	1	1		a 1		1	1	1			1	1 -	'		T	65,701	Percent 4.8
	Bales		3,353	20,579	30,817	12,856	6,149	474	35	1 1	83,729		1 1	- 0	1,197	877	2,158	1	1	80	73	103	1	,1	2 1	'	1		t			1	1 1	'	-	1	85,990	Percent 6.2
	Bales	-	15,366	123.714	68,213	77,025	32,312	1,936	1,569	179	352,731		' [2000	3,189	405	3,937	1	- 12	43	227	310	1	1		4	1	- (I			1	7 468	30	7,498	1	364,476	Percent 26.4
1-1/16" (34)	Bales		9,031	66.225	122,460	113,884	72,422	6.070	7,824	246	438,748		1 (2,473	7,640	14,944	27,617	1	9	427	526	1,861	,	1	33	293	540	1	, [77		1	1 88 1	109	297	1,545	470,635	Percent 34.2
1-1/32"	Bales	,	1,017	19.758	28,868	42,240	38,028	2,672	2,361	542 TET. L	162,564		1 (117	6,292	1,442	11,969	1	•	39	322	675	1	1	- LAL	232	616	\$				1	- 700	19	466	1,152	177,805	Percent 12.9
(32)	Bales	185	230	3.848	7,776	5,301	10,852	349	14,572	84	60,023		1 1	207	8,965	1,583	15,098	'		207	66	369		1	1 00	33	58	1	F			,	716	1	716	1,222	777,486	Percent 5.6
	Bales	. 1	Н	- 71	1,483	1,826	1,447	36	78	39	5,113		1	1 0 00	2,380	146	2,786	1		1 (493	520	1	1	100	12	27	1	1			1	1 1	1	1	951	6,397	Percent 0.7
15/16"	Bales	•	16	1.554	8,518	8,423	3,829	10	21	01 8	22,585		1 [1,557	22,446	2,160	56,005	1	1	107	8,28/	8,410	1	1	1,796	4 9	2,306	1	1			1	1	1	1	45	89,351	Percent 6.5
29/32"	Bales	•	15	935	1	1 (П	t m	9	1 2	976		1 (51	7,509	9	12,727	1	1	468	331	3,239	1	1	1 1	1 2	2	6	1				1 7		1	14	16,958	Percent 1.2
(28)	Bales	-1	96	496	1	1		1	1	1 1	265		1	1 2/0 0	0,040		3,346		1	349	1,515	1,864	1	1	1 1	-	1	1	1			1	1	1	1	1	5,802	Percent 0.4
shorter (26)	Bales	233	1		-	1	1 1		1	1 1	233		1	1		1	1		•	1			1	1			7	1	1			1	1		1	1	233	Percent *
Code		(11)	(21)	(31)	(40)	(41)	(20)	(09)	(61)	(20)		Light Spotted:	(12)	(22)	(45)	(52)		(13)	(23)	(33)	(53)		(14)	(24)	(34)	(54)		(15)	(25)	(22)		(16)	(26)	(46)				

1
0
6
_
i
S
150
A
-
-e
er
W
S
e1
=
nd
ਲ
0)
ag
101
st
0
11
ub
Q,
in
п
to
ot
Ö
pc
la B
1p
-
of
0
p1
ta
CO
nd
Q
de
rad
5
1
9
0
b]
Ta

E	Percent		1.7	19.1	1.6	31.4	D . C	0.0	0.8	* 5	64.2			1.5	12,4	14.1	31 2			0.2	0° -	0.0	3,1			0.1	0°0	0.8			0.1	0.1			0.1	0.1			-	•	0.5	100.0		93.1
All star	Bales	154	71,409	1,007		1,324,828		3,911			2.713.043	200000000000000000000000000000000000000	28	61,171	525,612	597,991	1 310 666	COO SETE ST		8,884	33,397	23,209	126,823		1,069	3,448	13,478	33,774		45	4,857	4,902		1,053	5,894	7,958		131	421	552	22,436	4,229,154 2/	Percent 100.0	Grade index
and longer (40)	Bales		,		53	192	1 (ı, ı	40	1	285				82	354	103	160	ı	ı	1 4	24	16									6									1	866	Percent	Grade inde Average st
1-7/32" (39)	Bales		1	1 08	3 1	1 7	401	2 1	1	1	194					1, 1						10	10					L		. 1	-	1	7.5		1 1				-	1		204	Percent *	
1-3/16" (38)	Bales		43	2 867	761	4,394	9/3	T. 00.1	36	1	10.168	207 607		89	1,512	2,891	5 44B	24.50			27.0	88	425																-			16,041	Percent 0.4	
1-5/32"	Bales		583	רכך דו	8,479	28,866	2,832	4 72	304		63.627			2,755	26,876	9,359	1,491 AO AB1	TO1-601	- 1		769	187	1,878							1	-			26	82	82			-		72	106,140	Percent 2.5	
1-1/8" (36)	Bales		1,517	31 070	10,877	110,319	13,665	258	1,957	, 5	196.084	100000	28	3,457	29,571	28,207	ATC 89	00,573		334	2,575	520	6,650			167	10	234	-		8	-		151	804	955		43		43	389	272,630	Percent 6.5	
1-3/32" (35)	Bales	41	16,320	228 684	19,850	402,747	14,781	1.451	6,168	1 0	792.547			4,931	74,466	121,226	222 470	256,413		799	3,029	1,275	10,167		1 1	190	216	265		1	16	16		53	1,816	1,912			10	10	576	1,028,299	Percent 24.3	
1-1/16" (34)	Bales	113	41,146	191	22,188	612,249	16,684	1,015	13,199	1 100	1.312.092	2004-104		23,351	209,104	228,074	500 270	303,273		2,300	6,878	4,316	25,061		33 •	211	274	761			79	79	N. Control	481	2,521	3,221			23	53	944	1,851,490 1	Percent 43.8	
1-1/32"	Bales		10,403	42 68 587	3,207	126,355	30,708	916	7,916	25	263.715 1	- 11		19,663	102,179	113,632	33,194	200,000		2,967	5,620	7,254	29,059			294	387	1,531				-		368	531	1,553	-	88	121	508	2,174	566,909 1	Percent 13.4	
1" (32)	Bales		1,357	B 466	66		016	217	3,758	29	49,943					46,020		100,433		1,210	4,796	3,711	18,956			350	590	1,863			140	140		1	20	92	-	1.1.	148	148	1,712	179,287	Percent 4.2	
31/32" (31)	Bales		8	2 472	2,4/2	11,982	199	3,661	642	1 00	18.667	100,001	1	772	27,126	28,876	1			701	5,202	2,603	15,931		96	417	2,057	4,430	1		536	536			45	86	1		89	86	1,555	103,627	Percent 2.5	
15/16" (30)	Bales		-	, [2]	101	2,454	144	0+0	268	1	4.836	0001		176	10,009	15,826	20,000	060,63	,	492	3,533	2,015	13,970		707	994	6,490 4,689	12,880			1,435	1,435			45	45		1 1		-	4,164	66,426	Percent 1.6	
(29)	Bales		16	1 92	2 1	373	27	017	40		793	661		36	1,860	2,949	F 630	2,020		18	829	955	4,098		226	665	3,896	9,122		45	1,957	2,002			1						5,343	26,986	Percent 0.6	
7/8" (28)	Bales		16		. 1	36	1 0	7 1	1		000	35	,		215	577	60	TOO	1		108	239	266			160	753	2,163			694	694								1	4,256	8,632	Percent P	of the Cer
shorter (26)	Bales			,		1	1	1		1	-					1	1	•				36	36				153	198													1,251	1,485	Percent *	of memorited by the Bureau of the Census.
Code		(11)	(21)	(30)	(40)	(41)	(20)	(109)	(61)	(10)	(1/)				(35)	(45)	(70)		(13)	(23)	(33)	(53)			(24)	(35)	4 X	133	(18)	(25)	(32)			(10)		(40)	(17)	(37)	(47)		100			ted hy t
Grade		White:	S.M.	+ ** ×	S. L. M. +	S. L. M.	+ 2 2	, E . E . C . C . C . C . C . C . C . C .	S. G. O.	d.0.+	G. U.	Torar	Light Spotted:	S. M.	M.	S. L. M.	L. M.	TOTAL	Spotted:	S, M.	M.	L. M.	Total	inged:	e e	M.	L. M.	Total	Stained:	S. M.	M.	Total	Light Gray:	S. M.	M.	W. L. M.	 G. M.	M. M.	S. L. M.	Total	Below Grade	All grades	All grades	

Table 7. -- Grade and staple of upland cotton in the supply, United States, 1969-70 $\underline{1}/$

nd All staples	Bales Percent		174,013 1.1	0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4			439,430 2.7				_	11,199,104 69.1				1,982,468 12.3		870			302,537 1.9		t	100 *			205,928 1.2		338		1,822 *			27,510 0.2			37	1,884		145,192 0.9	H	Percent
1-1/4" and longer (40)	Bales	ı	40	130	1,178	603	576	007	30	1	1	3,679	'	1	80	97	819		26	52	436	514		1 1	26	26	52		1 1		-	1	1	1 1	'			1 1	'	71	5,081	Percent
1-7/32"	Bales	1	28	- 0[[23	440	28	167	14	1	1	949	1	1	•	282	289			1	17	17		1 1	1	. r	17		1 1	1	1	1	•	1 1	1		' '	1 1	1		1,272	Percent
1-3/16"	Bales	1	654	1,339	3,745	9,816	1,522	45	223	1	-	29,293	1	13	2,137	3,910	7,026		39	217	969	1,021		1 1	79	20	129		1 1	t	1	1	1	1 1	1		1	1 (72	37,541	Percent
1-5/32" (37)	Bales		(4)		28,442		6,482	,	1,079		181	365,446				12,878	Med				3,509								1 1	-	1		1	91	91			20	34	141	409,262	Percent
1-1/8" (36)	Bales	1	14,735	12,697	79,845	510,531	50,985	2,335	10,311	58	1,230	1,025,225		1,413	36,181	17,315	119,203	, L	628	6,721	6,771	16,863		- דרר	314	127	009			1	-	1	223	2,731	3,856		' '	156	176	1,047	1,166,970	Percent
1-3/32" (35)	Bales	31	49,295	21,138	250,606	1,984,636	304 765	6,475	46,301		4,497	3,905,887	N	3,855	101,632	229,826	409,621		453	7,571	13,176	28,950		45	651	547	1,347		1 1	28	28	ı	1,221	6,863	10,01			319	659	6,635	4,363,138	Percent
1-1/16" (34)	Bales	28	60,496	13,586	165,577	1,967,783	164,568	12.674	85,290	410		3,847,996	127	8,439	238,202	170,605	868,017	, C	1,769	17,328	39,733	90,126		1 PAD	2,077	7,078	13,438		13	1	13			8,990			14	322	1,090	18,200	4,854,165 4	Percent
1-1/32"	Bales	•	16,033	5,636	34,290	475,973	47,573	7,336	44,425	909	6,835	1,053,636	-	9,587	155,427	132,502	582,719	90	2,638	24,629	49,835	115,274		1 099	3,578	10,158	24,307		1 1	26	26	8	632	6,653	10,968	1		1 937	N "	21,012	1,810,374	Percent
1" (32)	Bales	412	4,963	85 367	14,696	172,555	19,434	2,496	36,747	523		430,465	16	5,462	136,382	234,431	471,264	201	4,514	37,132	35,083	108,963		500	4,139	6,588	21,797		30	43	73	,	148	1,335			10	354	1,143	23,485	1,060,620	Percent
31/32" (31) (31)	Bales	10	1,988	129	1,163	132,953	4,201	383	9,710	35	3,832	258,279	382	2,785	168,738	238,194	482,591	430	5,078	47,010	38,147	119,736		1 261	5,362	8,838	27,510		30	261	291	,	16	272 391	754		13	113	403	13,760	11	Percent
15/16"	Bales	1	1,742	42 199	10,932	116,075	2,902	253	5,369	29	4,044	210,040		4,794	187,395	74.221	541,462	131	5,481	35,854	55,074	137,912		50	5,325	18,532	56,502		9	330	390	1	23	284	403		1	1 89	89	25,239	972,016	Percent
29/32" (29)	Bales	1	598	98 18 478	382	27,949	448 6 828	36	1,409	10	278	56,504		3,119	79,386	141,903	265,235	43	2,406	16,898	38,364 25,088	82,799		- 744	1,831	15,748	45,281		205	495	700	1	13	230	320		' '	72 %	82	22,657	473,578	Percent
7/8" (28)	Bales	1	187	4.684	20	4,733	65	1,101	194	34	309	11,426	ı	429	23,545	10,508	78,175		326	3,900	20, 166 8.313	32,705		199	929	6,546	14,237		i i	263	263	1	7	61 52	120			51	51	11,546	148,523	Percent
13/16" and shorter (26)	Bales	1	1	000		94	0 7	ţ '	42	1		279	1	163	617	1,517	2,766		1	400	1,530	2,647		1 1	101	197	621		1 1	38	38	1	٠	1 1	1			1 0	100	1,381	7,742	Percent
Code		(11)	(21)	(31)	(40)	(41)	3 [(09)	(61)	(70)	(71)	8		(22)	(35)	(42) (52)		(13)	(23)	(33)	(43)	200		(14)	(34)	4 5		(18)	(25)	(32)			(56)	(36)		(71)	(22)	(37)	(/+)	Q1		
Grade	In a to	White: G.M.	S. M.	+	S. L. M.+	S.L.M.	L. M. +	8.4.0.+	S. G. O.	4.0.4	G. O.	Total	Light Spotted G.M.	S. M.	ž	ะ พ.ป. พ.ป.	Total	Spotted:	S. M.	M.	L.M. M.	Total	Tinged:	S. S.	Σ.	S. L. M.	Total	Stained:	S.M.	Μ,	Total	Light Gray:	S.M.	M. S. L. M.	Total	Grayı	S. M.	M. C.	Total	Below Grade	All grades	

Carry-over, crop, supply and disappearance of upland sotton, by grade groupings, United States, 1962-1970 Table 8. --

	All grades $\frac{3}{}$	Bales		7,725,099				14,754,396 15,128,775 15,032,314 14,847,292	9,491,197 7,370,293 10,838,384		22,479,495 26,133,793 27,142,804 28,865,640	26,056,473 19,640,674 17,084,679 16,213,606		11,474,477 14,023,303 13,124,456 12,300,364	13,786,092 13,394,379 10,737,768 10,604,811	
	Other Colored	Bales		576,920 590,948 1,025,611	2,158,808	2,299,028	231,641	753,509 542,723 898,532 706,430	1,075,275 555,019 479,847	650,935	1,330,429 1,133,671 1,924,143 2,182,306	3,234,083 2,854,047 1,702,545 1,148,896		739,481 108,060 448,267 23,498	935,055 1,631,349 1,204,584 917,255	
,	Low	Bales		104,550 284,200 326,307	813,381	430,052 212,100 154,028	156,447	487,773 294,252 428,656 363,909	430,754 240,133 311,317	537,562	592,323 578,452 754,963 693,240	1,244,135 670,185 523,417 691,590		308,123 252,145 425,632 -120,141	814,083 458,085 369,389 535,143	
	Strict Low Middling	Bales		257,356 1,055,390 1,234,717	3.014.587	2,207,102	658,243	1,815,327 1,281,733 1,456,136 1,918,478	1,479,766 839,724 1,314,935	1,369,972	2,072,683 2,337,123 2,690,853 3,262,348	4,494,353 3,046,826 2,092,512 1,982,468		1,017,293 1,102,406 1,346,983 247,761	2,287,251 2,269,249 1,480,016 1,324,225	•
	Middling	Bales		650,277 2,102,879 2,092,548			575,657	1,648,840 1,988,588 1,471,008 1,694,307	1,060,360 972,952 1,012,243	498,239	2,299,117 4,091,467 3,563,556 3,943,357	4,831,987 3,657,566 2,119,373 1,150,122		1,998,919 1,314,506 171,730	2,147,373 2,550,436 1,467,490 574,465	Stained, Light Gray, Gray and Below Grade
	Strict Middling and higher	Bales	Œ!	387,232 893,384 827,115	766.166	463,541	65,662	220,867 220,600 98,082 73,112	33,098 32,935 24,595	5,846	608,099 1,113,984 925,197 875,084	799,264 496,476 170,478 41,426	E 5/	1	335,723 350,593 134,898 -24,236	y, Gray and
	Strict Good Ordinary & Good Ordinary	Bales	CARRY-OVER	79,095	269.933	109,034	86,665	237,420 258,471 311,230 298,627	124,936 102,881 209,432	201,216	SUPPLY 4 316,515 421,043 454,491 447,660	394,869 211,915 299,687 315,043	DISAPPEARANCE	153,943 277,782 305,458 177,727	285,835 121,660 185,860 228,378	, Light Gra
	Low	Bales		324,207 711,278 645,117	944.229	486,430	651,764	1,264,712 1,379,008 1,797,721 1,751,299	794,672 577,567	1,220,328	1,588,919 2,090,286 2,442,838 2,764,723	1,738,901 1,063,997 1,686,659 1,949,900	C	877,641 1,445,169 1,429,414 1,820,494	1,252,471 667,969 957,087 1,298,136	
	Strict Low Middling	Bales		1,121,363 2,031,593 2,079,801	2,418,300	1,934,248	1,961,976	4,035,621 4,462,656 4,881,260 4,931,445	2,579,819	3,912,352	5,176,984 6,494,249 6,961,061 7,932,917	5,216,119 4,514,164 5,605,576 6,104,745		3,145,391 4,414,448 3,959,589 5,514,617	3,281,871 3,223,588 3,413,183 4,142,769	ght grades. tted, Tinged
-	Middling	Bales		2,860,245 2,398,026 2,746,924		1,412,023 875,949	1,115,759	3,500,940 3,781,596 3,123,870 2,790,979	1,568,729	1,416,424	6,361,185 6,179,622 5,870,794 5,577,343	3,531,908 2,790,497 2,638,852 2,653,666		3,963,159 3,432,698 3,084,430 3,614,164	2,119,885 1,914,548 1,401,610 1,537,907	d with straight grades of Spotted, the Census.
	Strict	Bales		1,321,192 751,353 967,293	430,125	241,352	104,409	751,403 911,575 559,211 316,032	125,430 90,348 116,830	53,746	2,072,595 1,662,928 1,526,504 1,162,458	555,555 331,700 243,190 174,013		1,321,242 695,635 680,078 732,333	314,203 205,340 122,923 69,604	Plus grades of White included with straight grades. Other Colored includes all grades of Spotted, Tinged, As reported by the Bureau of the Census. Carry-over at the beginning of the season plus crop.
-	Good Middling and higher	Bales		42,662 23,395 21,796	14,941	1,739	572	17,984 7,573 6,608 2,674	358 344 651	75	60,646 30,968 28,404 24,204	15,299 3,301 2,390 1,737		37,251 9,172 6,874 9,263	12,342 1,562 728 1,165	ades of Whi olored incl rted by the
1	Year beginning August 1			1962 1963 1964	1966	1967 1968 1969	1970	1962 1963 1964 1965	1966 1967 1968	1969	1962 1963 1964 1965	1966 1967 1968 1969		1962 1963 1964 1965	1966 1967 1968 1969	1/ Plus grades of 2/ Other Colored 3/ As reported by 4/ Carry-over at

9

																	9																		
All lengths	Bales		7,725,099	12,110,490	14,018,348	16,565,276	12,270,381	6 346 91	5,608,795		14.754.396	15,128,775	15,032,314	14,847,292	9,491,197	7,370,293	10,838,384 9,866,695			22,479,495	20,133,793	28,865,640	26,056,473	19,640,674	17,084,679	16,213,606		11,474,477	14,023,303	13,124,456	12,300,364	13,786,092	13,394,379	10,604,811	
1-1/8" and longer	Bales		394,741	153,611	273,843	359,435	361,885	927 501	563,511		423.349	350,820	435,395	434,962	403,536	749,454	1,819,533			818,090	282,088	708,805	762,971	1,111,339	2,232,300	1,620,126		586,822	428,477	315,163	349,370	401,086	698,572	1,056,615	2100001
1-3/32"	Bales		975,653	624,676	832,534	771,900	651,768	1 513 424	1,392,775		1.757.331	1,099,347	1,691,874	1,818,436	1,595,353	1,697,112	2,862,380			2,732,984	1,845,380	2,650,970	2,367,253	2,348,880	3,557,218	4,363,138		1,986,945	1,220,710	1,484,016	1,8/9,0/0	1,715,485	1,654,042	2,045,194	
1-1/16"	Bales		2,823,108	3,392,540	3,996,412	3,711,244	2,091,860	1,308,530	2,322,125		5.086.891	5,606,717	5,127,506	5,039,822	3,294,000	2,110,095	3 050 206			7,909,999	9,589,715	9,036,234	7,005,244	4,201,955	4,122,828	4,854,165		3,927,001	6,197,175	4,523,634	5,324,990	4,913,384	2,893,425	2 532 040	20063
1-1/32"	Bales		1,455,398	3,250,740	3,569,875	4,700,330	3,291,487	1,110,499	744,714		2 B55 530	3,473,404	3,574,201	2,854,465	1,283,336	717,600	923,028			4,310,928	5,889,325	6,424,340	5,983,666	4,009,087	2,033,527	1,810,374		1,895,007	2,638,585	3,255,066	1,724,010	2,692,179	2,898,588	1,260,490	1
1,1	Bales	CARRY-OVER	698,829	1,002,267	1,005,952	1,090,280	952 503	530,277	256,773	CROP	789 264	725,379	763,977	701,033	358,874	391,198	784,117		SUPPLY 2/	1,488,093	1,496,049	1,706,985	1,449,154	1,343,701	1,314,394	1,060,620	DISAPPEARANCE 3/	714,823	496,382	760,292	010,/05	496,651	813,424	803,178 803,847	
31/32"	Bales	CARI	432,118	588,104	765,455	906,551	827,417	437,401	113,024		759 231	484,301	564,381	642,844	437,171	540,669	745,859 408,853		SU	1,191,349	1,003,120	1,408,299	1,343,722	1,368,086	1,183,260	903,324	DISAPP	612,530	475,016	387,030	501,/48	516,305	930,685	790 300	
15/16"	Bales		744,494	1,685,211	2,207,676	2,927,001	2,906,245	1,253,434	155,777		990 108 6	1,952,088	1,629,942	2,304,440	1,376,487	780,619	762,970 628 888			3,046,463	3,293,030	4,512,116	4,303,488	3,686,864	2,016,404	972,016		1,405,515	1,907,825	1,10/,4//	1,585,115	1,397,243	2,433,430	0/2,6/0,1	O T O T O
29/32"	Bales		138,529	1,153,583	1,101,709	1,682,179	1,037,897	400,078	43,944		726 072	1,136,257	814,359	933,586	641,378	338,941	117,481			864,601	1,738,047	2,035,295	2,323,557	1,376,838	524,159	4/3,5/8		292,811	604,464	866,233	323,116	1,285,660	970,160	100,000	+00.00+
7/8"	Bales		59,295	246,908	239,688	391,399	141,059	35,932	14,434		52 226	232,967	381,622	108,286	93,359	42,829	8,199			111,521	406,445 628,530	347,974	484,758	183,888	91,151	148,523		49,984	47,596	388,842	-43,425	343,699	100,936	080 /61	104,000
13/16" and shorter	Bales		2,934	12,850	25,204	24,957	8,260	8,919	1,718		2 533	17,495	49,057	9,418	7,703	1,776	519	1		5,46/	19,923	34,622	32,660	10,036	9,438	1,/42		3,039	7,073	36,703	699,6	24,400	1,117	101°6	0,024
Year beginning August 1			1962	1964	1965	1966	1967	1969	1970		1962	1963	1964	1965	1966	1967	1968)		1962	1963	1965	1966	1967	1968	1969		1962	1963	1964	1965	1966	1967	1969	1001

Carry-over, crop, supply and disappearance of upland sotton, by staple groupings, United States, 1962-1970

6

Table

As reported by the Bureau of the Census. Carry-over at the beginning of the season plus crop. Supply minus carry-over at the end of the season.

नालान

Table 10. -- Tenderability of upland cotton in the carry-over, United States, August 1, 1961-1970

Year	Tendera	ble <u>l</u> /	Untende	erable	Total	2/
	Bales	Percent	Bales	Percent	Bales	Percent
1961	6,510,280	92.0	567,352	8.0	7,077,632	100.0
1962	6,778,070	87.7	947,029	12.3	7,725,099	100.0
1963	9,101,142	82.7	1,903,876	17.3	11,005,018	100.0
1964	7,365,960	60.8	4,744,530	39.2	12,110,490	100.0
1965	8,666,348	61.8	5,352,000	38.2	14,018,348	100.0
1966	6,780,215	40.9	9,785,061	59.1	16,565,276	100.0
1967	5,849,232	47.7	6,421,149	52.3	12,270,381	100.0
1968	3,912,508	62.6	2,333,787	37.4	6,246,295	100.0
1969	4,963,623	78.2	1,383,288	21.8	6,346,911	100.0
1970	4,471,321	79.7	1,137,474	20.3	5,608,795	100.0

^{1/} Qualities tenderable with respect to grade and staple in settlement of cotton futures.
2/ As reported by the Bureau of the Census.

Table 11. -- Grade and staple of American Pima cotton in the carry-over, August 1, 1970 1/

Grade	Code	1-5/16" and shorter (42)	1-3/8" (44)	1-7/16" (46)	1-1/2" (48)	1-9/16" and longer (50)	Tota	1
		Bales	Bales	Bales	Bales	Bales	Bales	Percent
1	(10)	5	26	587	1,651	88	2,357	2.4
2	(20)	165	4,543	1,938	212	-	6,858	6.9
3	(30)	187	19,125	2,508	1,708	-	23,528	23.7
4	(40)	34	28,868	3,059	540		32,501	32.7
5	(50)	141	18,144	7 35	107	-	19,127	19.3
6	(60)	1,390	7,293	147	-	-	8,830	8.9
7	(70)	1,313	2,454	15	-	-	3,782	3.8
8	(80)	692	792	-	-	-	1,484	1.5
9	(90)	477	161	-	-	-	638	0.6
10	(00)	175	54	-	-	-	229	0.2
Total		4,579	81,460	8,989	4,218	88	99,334 2/	100.0
Percen	t	4.6	82.1	9.0	4.2	0.1	100.0	

^{1/} Preliminary. Quality data on 23,413 bales stored in consuming establishments included in this table based on information furnished by mills.

Table 12. -- Grade and staple of American Pima cotton in the carry-over, August 1, 1969 1/

Grade	Code	1-5/16" and shorter (42)	1-3/8" (44)	1-7/16" (46)	1-1/2" (48)	1-9/16" and longer (50)	Total	
		Bales	Bales	Bales	Bales	Bales	Bales	Percent
1	(10)	-	282	84	1,271	1	1,638	1.1
2	(20)	234	11,623	1,939	2,118	7	15,921	11.2
3	(30)	707	39,574	9,266	4,937	11	54,495	38.3
4	(40)	1,872	38,862	7,304	162	-	48,200	33.8
5	(50)	912	12,624	431	9	-	13,976	9.8
6	(60)	770	4,020	40	-	-	4,830	3.4
7	(70)	472	1,751	15	-	-	2,238	1.6
8	(80)	285	266	-	-	-	551	0.4
9	(90)	254	78	-	-	-	332	0.2
10	(00)	284	46	-	-	-	330	0.2
Total		5,790	109,126	19,079	8,497	19	142,511 2/	100.0
Percen	t	4.1	76.5	13.4	6.0	•	100.0	

^{1/} Revised. Quality data on 19,963 bales stored in consuming establishments included in this table based on information furnished by mills.

^{2/} As reported by the Bureau of the Census.

^{2/} As reported by the Bureau of the Census.

Less than 0.05 percent.

Table 13. -- Staple of foreign growth cotton in the carry-over, August 1, 1963-1970 $\underline{1}/$

Growth and length (inches)	1963	1964	1965	1966	1967	1968	1969	1970 2,
1-35-m	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
Egyptian:	0.040	10			0.00			
1-3/32 & shorter 1-1/8 & 1-5/32	2,248	12	- 10	2 421	826	238	-	-
1-3/16 & 1-7/32	The Total	galett	13	3,431	671	748	-	-
1-1/4 - 1-11/32	7,328	724	202	2,299	671	20	767	0 700
1-3/8 - 1-15/32	58,592	32,471	282 35,212	3,596 28,948	7,034	696	767	2,782
1-1/2 - 1-19/32	8,122	6,875	5,294	9,130	23,390	21,635	5,966	2,612
1-5/8 - 1-23/32	0,122	0,075	5,294	9,130	12,032	2,708	1,265	1,812
1-3/4 & longer		-	-	_	_	-	552	
1-5/4 & Tonger	1,24	400,01	112	are,em	9, 11	By Table	905	10-E
All lengths	76,290	40,082	40,801	47,404	43,953	26,045	8,550	7,206
Peruvian:								
1-1/8 & 1-5/32	127	16	_	16	_	_	_	_
1-3/16 & 1-7/32	333	247	878	70	126	35	343	422
1-1/4 - 1-11/32	160	635	205	28	623	16	23	25
1-3/8 - 1-15/32	1,129	4,000	1,442	1,082	1,922	2,662	422	78
1-1/2 - 1-19/32	5 7 3	2,397	4,506	1,166	961	743	1,702	790
1-5/8 - 1-23/32	2,098	3,577	3,985	1,769	1,078	5,571	1,733	1,229
1-3/4 & longer	1,285	5,476	958	1,403	- Land	-	-	-
All lengths	5,705	16,348	11,974	5,534	4,710	9,027	4,223	2,544
								32
Indian:	10 107	14 644	0 500	5 176	7 070	7 700	10 467	35 676
13/16 & shorter	10,127	14,644	9,533	5,176	7,078	7,189	12,467	15,676
ther Foreign:								
13/16 & shorter	-	-	-	-	- 1	2,551	2,472	-
7/8 & 29/32	-	-	-	-	-	-	-	
15/16 & 31/32	125	-	-	-	-		-	-
1 & 1-1/32	247	-	-	-	-	-	705	396
1-1/16 & 1-3/32	250	182	1,250	3,522	2,100	1,510	2,927	1,352
1-1/8 & 1-5/32	128	876	1,510	-	-	-	-	-
1-3/16 & 1-7/32	-	-	45	_	-	-	-	-
1-1/4 & longer	-	-	2,062	-	-	-	-	390
All lengths	750	1,058	4,867	3,522	2,100	4,061	6,104	2,138
All Foreign 3/	92,872	72,132	67,175	61,636	57,841	46,322	31,344	27,564

^{1/} Quality data on bales stored in consuming establishments included in this table based on information furnished by mills.

^{2/} Preliminary.

^{3/} As reported by the Bureau of the Census.

Table 14. -- Micronaire readings of upland and American Pima cotton in public storage, by specified groupings, August 1, 1969-1970

Mike readings	Upland	cotton	American Pima cotton			
by groupings	1969	1970 2/	1969 1/	1970 <u>2</u> /		
	Bales Percent	Bales Percent	Bales Percent	Bales Percent		
2.6 & below	94,582 2.0	29,604 0.7	590 0.5	158 0.2		
2.7 - 2.9	307,390 6.5	105,729 2.5	6,721 5.7	2,737 3.6		
3.0 - 3.2	567,489 12.0	219,916 5.2	17,804 15.1	10,570 14.0		
3.3 - 3.4	359,410 7.6	194,541 4.6	16,154 13.7	10,428 13.7		
3.5 - 4.9	3,140,347 66.1	3,074,595 72.7	76,624 65.0	52,028 68.5		
5.0 - 5.2	217,538 4.6	452,519 10.7	16 *	SECTION STATES		
5.3 & above	56,749 1.2	152,250 3.6	000 - 001	10/27-1 - 8/131		
		908,4				
Total	4,743,505 100.0	4,229,154 100.0	117,909 100.0	75,921 100.0		
Average mike	3.9	4.3	3.6	3.7		

^{1/} Excludes ex-stockpile American Pima cotton.

^{2/} Preliminary.

^{*} Less than 0.05 percent.

